



CARB

Laminate floorcovering, Alloc Commercial complies to ATCM PHASE 2. The High density fibreboard used in the construction of Alloc Commercial meets the requirements for PHASE 2 (includes phase 1.) certification, according to CARB § 93 120-93 120.12

Third party attestation is provided by eph institute, report no 258268-3

ALLOC Commercial **ALLOC** Commercial Stone



CARB

Laminate floorcovering, Alloc Original complies to ATCM PHASE 2. The High density fibreboard used in the construction of Alloc Original meets the requirements for PHASE 2 (includes phase 1.) certification, according to CARB § 93 120-93 120.12

Third party attestation is provided by eph institute, report no 258268-3 and WKI institute, report no 703-2009-01-TPC-4.

ALLOC

Original

ALLOC

Original Trend



CARB

Laminate floorcovering, Alloc Domestic complies to ATCM PHASE 2. The High density fibreboard used in the construction of Alloc Domestic meets the requirements for PHASE 2 (includes phase 1.) certification, according to CARB § 93 120-93 120.12

Third party attestation is provided by eph institute, report no 258268-3 and WKI institute, report no 630-2/2009.

ALLOC Domestic



CARB

Elite

JIANGSU BEIER DECORATION MATERIALS CO., LTD

**Laminate Floor: CalCOMpliant Phase 1
Production Date:**

The laminate floor's raw materials---High-Density Fiberboard at the specified site meet the necessary qualifications to be certified for the CalCOMpliant Phase 1

In compliance with the CARB composite Wood ATCM, California Code of Regulations, Sections 93120-93120.12, Title 17

Lot No.: 20090720

